

# PPE Regulation (EU) 2016/425

## Annex IX

### Declaration of Conformity

The manufacturer or his authorized representative established in the Community:

**Guangdong J&Y Industrial Co., Ltd.**

**No.285 Juhuashi Rd, Huashan Town, Huadu District, Guangzhou, China, P.C:510880**

declares that the new PPE described hereafter: -

**EN352-1:2020 Hearing Protector – General requirement – Ear-Muffs**

Model/ ID	Description
EM-5001A	Over-the-head type headband earmuffs with ABS cups and foam filled cushions. Size:S,M,L. SNR=32 dB
EM-5001B	Earmuff,over-the-head type plastic cups with foam liner and foam filled cushion,folding headband,Size:S,M,L. SNR=32 dB
EM-5002	Ear defenders consisting of a headband with two ABS plastic ear cups.Each cup houses PU foam and cushion. SNR=33 dB
EM-5002A	Ear-muff,over-the-head type,ABS cups with foam liner and foam filled cushion,metal headband with PU cover.Size S,M,L.SNR 34 dB
EM-5002B	Ear-muff,over-the-head type,ABS cups with foam liner and foam filled cushion,folding headband. Size S,M,L.SNR=33 dB
EM-5002C	Ear-muff,behind-the-head type,plastic cups with foam liner and foam filled cushion,metal neckband. Size S,M,L.SNR=31 dB
EM-5003	Ear-muff,over-the-head type,economic style,plastic cups with foam liner and foam filled cushion, plastic headband,Size:S,M,L SNR=29 dB
EM-5005	Ear-muff,over-the-head type,mini style,plastic cups with foam liner and foam filled cushion,folding headband,SNR=26 dB
EM-5006	Over-the-head headband earmuff with ABS cups with foam filled PU cushions. SNR=32dB
EM-5007	Ear-muff,over-the-head type,BDS style,plastic cups with foam liner and foam filled cushion,padded headband,Size:S,M,L SNR=34 dB
EM-5007B	Ear-muff,over-the-head type,BDS style,plastic cups with foam liner and foam filled cushion,folding headband,SNR=33 dB
EM-5008	Earmuffs consisting of a headband with two PP plastic ear cups. Each cup houses PU foam and cushion, Size:S,M,L, SNR=29dB
EM-7001	Earmuffs consisting of a headband with two ABS ear cups. Each cup house PU foam and cushion.Size:S,M,L. SNR= 31dB(EM-7001)/35dB(EM-7001L)
EM-7001L	
EM-7002(Closed)	Earmuffs consisting of a headband with two ABS ear cups. Each cup house PU foam and cushion. Earmuffs offer two different attenuation levels, depending on whether they are in the open or closed position. Size:S,M,L. SNR= 25dB(open position) or 35dB(closed position)
EM-7002(Open)	
FM-1	Ear-muff,over-the-head type,plastic cups with foam liner and foam filled cushion,plastic headband,Size:S,M,L SNR =31 dB
FM-1A	Ear-muff,over-the-head type,plastic cups with foam liner and foam filled cushion,Size:S,M,L SNR= 31dB
FM-1B	Ear-muff,over-the-head type,plastic cups with foam liner and foam filled cushion,Size:S,M,L SNR= 31dB
FM-1C	Ear-muff,behind-the-head type,plastic cups with foam liner and foam filled cushion,metal neckband,Size:S,M,L SNR=30 dB
FM-2	Ear-muff,over-the-head type,plastic cups with foam liner and foam

	filled cushion, plastic headband,Size:S,M,L SNR=33 dB
FM-3	Ear-muff,over-the-head type,plastic cups with foam liner and foam filled cushion, plastic headband,Size:S,M,L SNR=34 dB
EM-5005	Ear-muff,over-the-head type,mini style, plastic cups with foam liner and foam filled cushion,folding headband,SNR=26 dB
KM-2	Ear-muff,over-the-head type,mini style, plastic cups with foam liner and foam filled cushion,folding headband,SNR=27 dB
KM-3	Ear-muff,over-the-head type,mini style,plastic cups with foam liner and foam filled cushion, plastic headband,SNR=26 dB
KM-5	Ear-muff,over-the-head type,mini style,plastic cups with foam liner and foam filled cushion,folding headband,SNR=24 dB
EM-5010	Ear-muff, over-the-head type, economic style, plastic cups with foam liner and foam filled cushion,plastic headband, Size: S,M,L SNR = 34 dB
EM-7003	Over-the-head eamuff featuring Black ABS earcups with two layers of acoustic foam liner and foam-filled Black PVC covered cushions. The headband is made from a combination of Black TPE, PP and Steel materials. Size: S,M,L SNR=32dB
EM-7003-1	Over-the-head eamuff featuring Black ABS earcups with two layers of acoustic foam liner and foam-filled Black PVC covered cushions. The headband is made from a combination of Black TPE, PP and Steel materials. Size: S,M,L SNR=37dB
EM-7005	Over-the-head eamuff featuring Green ABS earcups with a foam liner and foam-filled Black PVC covered cushions. The headband is made from a combination of Black TPE, PP and Steel materials.Size: S,M,L SNR=28dB
EM-7007	Over-the-head eamuff featuring Black ABS earcups with a foam liner and foam-filled Black PVC covered cushions. The headband is made from a combination of Black TPE, PP and Steel materials.Size: S,M,L SNR=34dB
EM-7008	Over-the-head eamuff featuring Blue ABS earcups with a foam liner and foam-filled Black PVC covered cushions. The headband is made from a combination of Black TPE, PP and Steel materials.Size: S,M,L SNR=29dB
EM-5011	Over-the-head eamuff featuring ABS earcups with a foam liner and Black PVC covered foam cushions. The headband is made from of Black PA66 material.
EM-7001B	Over-the-head eamuff featuring ABS earcups with a foam liner and Black PVC covered foam cushions. The headband is constructed from POM, with added soft pad made of Black PVC covered foam cushion.
EM-5005F	Over-the-head eamuff featuring ABS earcups with a foam liner and Grey PVC covered foam cushions. The folding headband is constructed from POM, with added soft pad with Grey PU bottom cover.
EM-5009B	Over-the-head eamuff featuring ABS earcups with a foam liner and Black PVC covered foam cushions. The folding headband features a Steel skeleton combined with Black PU and Nylon materials.
EM-7001L Plus	Earmuffs, over-the-head type, consiting of Black PP + TPE + Steel headband with two ABS ear cups. Each cups houses black PVC covered cushion.
EM-5002B ECO	Over-the-head earmuff featuring recycled ABS earcups with a foam liner and black PVC covered foam cushions. The headband is constructed from POM with added soft pad made of black PVC covered cushion.
EM-7001D	Helmet-mounted earmuffs featuring ABS earcups with a black foam liner and black PVC covered foam cushions supported by Steel wire arms. These earmuffs are designed to be attached to the industrial helmet model MSA V-Gard (basic combination). 261g S,M, L

**EN352-3:2020 Hearing Protector – General requirement – Ear-Muffs attached to an industrial safety helmet**

Model/ ID	Description
EM-5001E	Earmuff, helmet-mounted type, plastic cups with foam liner and foam filled cushion, cup supporting arms, attached to industrial helmet model MSA Vgard, Size: S, M, L. SNR = 30 dB
EM-5002D	Ear-muff, helmet-mounted type, plastic cups with foam liner and foam filled cushion, plastic and steel cup supporting arms, attached to industrial helmet model: MSA Vgard. SNR=30 dB
EM-5003D	Helmet mounted ear defenders consisting of an adapter for attachment to the helmet and an ABS plastic ear cup. Each cup houses PU foam and cushion. These ear-muffs should be fitted to, and used only with the industrial safety helmet MSA V-gard. SNR=27 dB
EM-5007E	Ear-muff, helmet-mounted type, BDS style, plastic cups with foam liner and foam filled cushion, plastic cup supporting arms, attached to industrial helmet model: MSA Vgard, SNR=30 dB
FM-1D	Ear-muff, helmet-mounted type, plastic cups with foam liner and foam filled cushion, plastic and steel cup supporting arms, attached to industrial helmet model: MSA Vgard, SNR=28 dB
FM-2E	Cap-mounted earmuffs with ABS cups with foam liner and foam filled, PU covered cushions, which should be attached to MSA V-Gard safety cap. SNR=30 dB
FM-3E	Cap-mounted earmuffs with ABS cups with foam liner and foam filled, PU covered cushions, which should be attached to MSA V-Gard safety cap. SNR=32 dB
EM-7001L-D	Cap-mounted earmuffs designed to be attached to MSA V-Gard safety helmet. It features ABS cups, a foam liner, and foam-filled PU covered cushions. The earmuffs are held to the helmet by a steel wire cup supporting arm. SNR=34dB
EM-5003E	Helmet mounted earmuff consisting of an adapter for attachment to the helmet and an ABS plastic ear cup. Each cup houses PU foam and cushion. These ear-muffs should be fitted to, and used only with the industrial safety helmet MSA V-gard. SNR = 29 dB
EM-5002D ECO	Helmet-mounted earmuff featuring recycled ABS earcups with a foam liner and black semi-PU/PVC covered foam cushions supported by Steel wire arms. These earmuffs are designed to be fitted to and used only with the Head'Pro (P760U4X) industrial helmet. Supplementary helmet combination: V-Pro (P702G6L) industrial helmet.

**EN352-1:2020, EN352-4: 2020, EN352-6: 2020, EN352-8: 2020, Hearing Protector – Electronic Earmuffs with blue-tooth**

EM-9001M	Electronic ear defenders with Bluetooth consisting of headband with 2 ABS cups with PU foam cushions, SNR=29dB
----------	--

**EN352-1:2020, EN352-6: 2020, EN352-8: 2020, Hearing Protector – Electronic Earmuffs with blue-tooth**

EM-9001B	Electronic ear defenders with Bluetooth consisting of headband with 2 ABS cups with PU foam cushions, SNR=29dB
----------	--

EM-9005	Electronic Headband earmuffs with AUX input, Bluetooth & FM/AM radio. SNR=26dB
EM-9001BP	EM-9001BP Electronic ear defenders with Bluetooth consisting of a headband with 2 ABS cups with PU foam cushions. SNR=30dB

**EN352-3:2020, EN352-6:2020, EN352-8:2020, Hearing Protector – Ear-Muffs with blue-tooth attached to an industrial safety helmet**

EM-9001B-E	Electronic ear defenders with Bluetooth consisting of two ABS plastic ear cups to be used in combination with a MSA Vgard safety helmet. Each cup houses a PU foam cushion covered in PVC, SNR=26dB
------------	---

**EN352-1:2020, EN352-4:2020, EN352-6:2020, Hearing Protector – General requirement – Electronic Earmuffs**

EM-9003	Electronic Headband earmuffs with passive protection, sound compression and AUX input, SNR=29dB
EM-9001C	Electronic ear defenders without Bluetooth consisting of headband with 2 ABS cups with PU foam cushions, SNR=28dB
EM-9011C	Over-the head electronic black earmuff featuring ABS earcups with a foam liner and PVC covered foam cushions. The headband is constructed from PVC and Steel, with a soft pad covered in Multispanex on the top, PU on the bottom, and PP edging. SNR=30dB

**EN352-2:2020 Hearing Protector – General requirement – Ear-Plugs**

Model/ ID	Description
EC-1001A	Disposable PU foam tapered uncorded ear plugs sizing 5-11 mm, SNR=38 dB
EC-1001A-C	Disposable PU foam tapered corded ear plugs sizing 5-11 mm, SNR=38 dB
EC-1001A-C-D	Disposable PU foam tapered Metal detectable PVC/Brass corded ear plugs sizing 5-11 mm, SNR=38 dB
EC-1003A	Disposable PU foam tapered uncorded ear plugs sizing 5-10 mm, SNR=37 dB
EC-1003A-C	Disposable PU foam tapered corded ear plugs sizing 5-10 mm, SNR=37 dB
EC-1003A-C-D	Disposable PU foam tapered Metal detectable PVC/ Brass corded ear plugs, 5-10 mm, SNR=37 dB
EC-1007A	Disposable PU foam T-shape uncorded ear plugs sizing 5-10 mm, SNR=36 dB
EC-1007A-C	Disposable PU foam T-shape corded ear plugs sizing 5-10 mm, SNR=36 dB
EC-1007A-C-D	Disposable PU foam T-shape Metal detectable PVC/Brass corded ear plugs, 5-10 mm, SNR=36 dB
EC-1001AS	Disposable PU foam earplugs in Orange or Green colour. Nominal diameter 6-11mm, SNR=34 dB
EC-1001AS-C	Disposable PU foam earplugs in Green colour with Blue PVC or Nylon connecting cord. Nominal diameter 6-11mm, SNR=34 dB
EC-1001AS-C-D	Disposable PU foam Metal detectable earplugs in Green colour with Blue PVC connecting cord. Nominal diameter 6-11mm, SNR=34 dB
EC-1005AS	PU foam earplugs. Nominal diameter 6-12mm +/- 1mm, SNR=34 dB
EC-1005AS-C	PU foam earplugs with connecting cord. Nominal diameter 6-12mm +/-1mm, SNR=34 dB

EC-1005A	Ear-plug,disposable,PU foam,tapered,nominal diameter 6/15mm, SNR=35 dB
EC-1005A-C	Ear-plug, disposable, PU foam, tapered, corded,nominal diameter 6/15mm, SNR=35 dB
EC-1006A	Ear-plug, disposable, PU foam, tapered,nominal diameter 6/12mm, SNR=35 dB
EC-1006A-C	Ear-plug, disposable, PU foam, tapered, corded, nominal diameter 6/12mm, SNR=35 dB
EC- 2001	Uncorded Silicone re-usable earplug 8-12 mm, SNR=32 dB
EC-2001C	Corded Silicone re-usable earplug 8-12 mm, SNR=32 dB
EC-2001C-D	Metal Detectable Corded Silicone re-usable earplug 8-12 mm, SNR=32 dB
EC-2014	Re-usable silicon ear-plug,triple flange tapered, nominal diameter 10/14 mm, SNR=31 dB
EC-2014C	Re-usable silicon ear-plug, triple flange tapered, corded, nominal diameter 10/14 mm, SNR =31dB
EC-2001S	Silicone triple flange earplug, SNR=28 dB
EC-2001S-C	Silicone triple flange earplug with connecting cord, Nominal diameter 6-9mm, SNR=28 dB
EC-2003	Uncorded, bell-shaped reusable orange silicone earplug. 8-10mm
EC-2003C	Reusable, bell-shaped orange silicone earplug featuring either blue PVC or Nylon cord. 8-10mm
EC-2010L	Uncorded, balloon-shaped reusable grey/white silicone ear plugs. Size Medium. 8-10mm
EC-2010S	Uncorded, balloon-shaped reusable grey/white silicone ear plugs. Size Small. 7-9mm
EC-2016	Uncorded, reusable, mouldable cylinder-type washable green silicone earplug. 15-20mm
EC-2011P	Silicone flanged earplugs, SNR=33 dB
E-2011P-C	Silicone flanged earplugs with connecting cord, Nominal diameter 8-13mm, SNR=33 dB
EC-2018	Silicone triple flange reusable earplug. Nominal diameter 7-12mm, SNR=33 dB
EC-2018C	Silicone triple flange reusable earplug with connecting cord. Nominal diameter 7-12mm, SNR=33 dB
EC-2018C-D	Silicone triple flange reusable earplug with connecting cord metal detectable. Nominal diameter 7-12mm, SNR=33 dB
EC-2065	TPE triple flange reusable earplug. Nominal diameter 8-12mm, SNR=34dB
EC-2065C	TPE triple flange reusable earplug with connecting cord. Nominal diameter 8-12mm, SNR=34dB
EC-2065C-D	TPE triple flange reusable earplug with connecting cord metal detectable. Nominal diameter 8-12mm, SNR=34dB
EC-3003	Re-usable triple-flanged silicone earplugs. Nominal diameter 7-11mm, SNR=27 dB
EC-3001A	Re-usable quadruple-flanged silicone earplugs with PVC insert pin. Nominal diameter: 8-12mm Colour: Blue, SNR=27dB
EC-2061	Reusable, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=27 dB
EC-2061C	Reusable, Corded, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=27 dB
EC-2061C-D	Reusable, Corded, Metal detectable, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=27 dB
EC-2062	Reusable, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB

EC-2062C	Reusable, Corded, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB
EC-2062C-D	Reusable, Corded, Metal detectable, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB
EC-2063	Reusable, Four flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB
EC-2063C	Reusable, Corded, Four flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB
EC-2063C-D	Reusable, Corded, Metal detectable, Four flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB
EC4101	Banded silicon earplug, under-the-chin type, Silicon tip with PP band, nominal diameter 10/14mm, SNR=30 dB
EC4102	Banded earplug, under-the-chin type, PU foam tip with PP band, nominal diameter 12/17mm, SNR=29 dB
EC-4103	Banded earplug, under-the-chin type, PU foam tip with PP band, nominal diameter 11/18mm, SNR=27 dB
EC-4109	Banded earplug (foldable), under-the-chin type, PU foam tip with PP band, nominal diameter 8/18mm, taper shape design, SNR=27dB
EC-3010	An uncorded, reusable, Green Silicone earplug with a triple-flange design and an ear hang feature. Diameter: 8-13mm, SNR=29dB
EC-3011A	An uncorded, reusable, Green or Black Silicone earplug with a triple-flange design, mounted on an ABS rob, and featuring a Silicone ear hang. Diameter: 8-14mm, SNR=29dB
EC-3011B	Uncorded, disposable Grey PU earplug with a tapered design, attached to an ABS rob, and featuring a reusable Green Silicone ear hang. Diameter: 5-12mm, SNR=26dB

Are in conformance with the provisions of Regulation (EU) 2016/425 and, where such is the case, with the harmonized standard EN 352-1/ EN 352-2 / EN 352-3/ EN 352-6 / EN 352-8 is identical to the PPE which is the subject of EU Type Examination Certificate No.:

		2777/13339/XX/E00-00
2777/13057/XX/E00-00	2777/13327/XX/E00-00	2777/14738/XX/E00-00
2777/13058/XX/E00-00	2777/13328/XX/E00-00	2777/17558/XX/E00-00
2777/13060/XX/E00-00	2777/13329/XX/E00-00	2777/20198/XX/E00-00
2777/13061/XX/E00-00	2777/13330/XX/E00-00	2777/20199/XX/E00-00
2777/13062/XX/E00-00	2777/13331/XX/E00-00	2777/120477/XX/E00-00
2777/13063/XX/E00-00	2777/13332/XX/E00-00	2777/24186/XX/E00-00
2777/13064/XX/E00-00	2777/13333/XX/E00-00	2777/20477/XX/E00-00
2777/13075/XX/E00-00	2777/13334/XX/E00-00	2777/24186/XX/E00-00
2777/13076/XX/E00-00	2777/13335/XX/E00-00	2777/26441/XX/E00-00
2777/13326/XX/E00-00	2777/13338/XX/E00-00	2777/26527/XX/E00-00

2777/26702/XX/E00-00  
2777/26751/XX/E00-00  
2777/26750/XX/E00-00  
2777/26884/XX/E00-00  
2777/26915/XX/E00-00  
2777/26994/XX/E00-00

as issued by:

**SATRA Technology Europe Ltd**  
**Bracetown Business Park, Clonee, Dublin, D15 YN2P, Ireland**  
**Notified Body No.: 2777**

As a Category III PPE, the product is subject to the procedures as set out in Module D-  
Conformity to type based on quality assurance of the production process and is under the  
surveillance of

**SATRA Technology Europe Ltd**  
**Bracetown Business Park, Clonee, Dublin, D15 YN2P, Ireland**  
**Notified Body No.: 2777**

Done at: - Guangzhou, on Dec 20th, 2024.

Signed for and on behalf of



Name: Kaly Lu

Position: Export Manager

**GuangDong J&Y Industrial Co.,Ltd**